

**Crosswalk of MDS 2.0 Items and RUG-III Groups**

CATEGORY	ADL INDEX	END SPLITS	MDS RUG-III CODES
<p>ULTRA HIGH REHABILITATION PLUS EXTENSIVE SERVICES  Rehabilitation Rx 720 minutes/week minimum  AND  At least 1 rehabilitation discipline 5 days/week  AND  A second rehabilitation discipline 3 days/week  AND  IV Feeding in last 7 days  OR  IV medications, suctioning, tracheostomy care, or ventilator/respirator in the last 14 days  AND  ADL score of 7 or more</p>	<p>16-18  7-15</p>	<p>Not Used  Not Used</p>	<p>RUX  RUL</p>
<p>VERY HIGH REHABILITATION PLUS EXTENSIVE SERVICES:  Rehabilitation Rx 500 minutes/week minimum  AND  At least 1 rehabilitation discipline 5 days/week  AND  IV Feeding in last 7 days  OR  IV medications, suctioning, tracheostomy care, or ventilator/respirator in the last 14 days  AND  ADL score of 7 or more</p>	<p>16-18  7-15</p>	<p>Not Used  Not Used</p>	<p>RVX  RVL</p>
<p>HIGH REHABILITATION PLUS EXTENSIVE SERVICES  Rehabilitation Rx 325 minutes/week minimum  AND  At least 1 rehabilitation discipline 5 days/week;  AND  IV Feeding in last 7 days  OR  IV medications, suctioning, tracheostomy care, or ventilator/respirator in the last 14 days  AND  ADL score of 7 or more</p>	<p>13-18  7-12</p>	<p>Not Used  Not Used</p>	<p>RHX  RHL</p>
<p>MEDIUM REHABILITATION PLUS EXTENSIVE SERVICES  Rehabilitation Rx 150 minutes/week minimum  AND  5 days any combination of 3 rehabilitation disciplines;  AND  IV Feeding in last 7 days  OR  IV medications, suctioning, tracheostomy care, or ventilator/respirator in the last 14 days  AND  ADL score of 7 or more</p>	<p>15-18  7-14</p>	<p>Not Used  Not Used</p>	<p>RMX  RML</p>
<p>LOW REHABILITATION PLUS EXTENSIVE SERVICES  Rehabilitation Rx 45 minutes/week minimum  AND  3 days any combination of 3 rehabilitation</p>	<p>7-18</p>	<p>Not Used</p>	<p>RLX</p>

disciplines; AND Nursing rehabilitation 6 days/week, 2 services (see Reduced Physical Function (below) for nursing rehab services count); AND IV Feeding in last 7 days OR IV medications, suctioning, tracheostomy care, or ventilator/respirator in the last 14 days AND ADL score of 7 or more			
ULTRA HIGH REHABILITATION Rehabilitation Rx 720 minutes/week minimum AND At least 1 rehabilitation discipline 5 days/week AND A second rehabilitation discipline 3 days/week	16-18  9-15  4- 8	Not Used  Not Used  Not Used	RUC  RUB  RUA
VERY HIGH REHABILITATION Rehabilitation Rx 500 minutes/week minimum AND At least 1 rehabilitation discipline 5 days/week	16-18  9-15  4- 8	Not Used  Not Used  Not Used	RVC  RVB  RVA
HIGH REHABILITATION Rehabilitation Rx 325 minutes/week minimum AND At least 1 rehabilitation discipline 5 days/week	13-18  8-12  4- 7	Not Used  Not Used  Not Used	RHC  RHB  RHA
MEDIUM REHABILITATION Rehabilitation Rx 150 minutes/week minimum AND 5 days any combination of 3 rehabilitation disciplines	15-18  8-14  4- 7	Not Used  Not Used  Not Used	RMC  RMB  RMA
LOW REHABILITATION Rehabilitation Rx 45 minutes/week minimum AND 3 days any combination of 3 rehabilitation disciplines; AND Nursing rehabilitation 6 days/week, 2 services (see Reduced Physical Function (below) for nursing rehab services count)	14-18  4-13	Not Used  Not Used	RLB  RLA

<p>EXTENSIVE SERVICES  IV Feeding in last 7 days  OR  IV medications, suctioning, tracheostomy care, or ventilator/respirator in the last 14 days  AND  ADL score of 7 or more</p>	<p>7-18</p>	<p>Count of other categories (special care, clinically complex, impaired cognition), plus IV medications, plus IV feeding</p>	<p>SE3 SE2 SE1</p>
<p>SPECIAL CARE  Extensive Services (see above) and ADL score of 6 or less  OR  Special Care qualifier (any one):</p> <ul style="list-style-type: none"> <li>• CP, MS, or Quad with ADL sum &gt;=10</li> <li>• respiratory therapy = 7 days</li> <li>• feeding tube (calories &gt;=51%, or calories =26%-50% and fluid &gt;=501 cc) and aphasia</li> <li>• radiation tx</li> <li>• receiving tx for surgical wounds/open lesions or ulcers (2 sites, any stage; or 1 site stage 3 or 4)</li> <li>• fever with dehydration, pneumonia, vomiting, weight loss, or feeding tube (calories &gt;=51%, or calories =26%-50% and fluid &gt;=501 cc)</li> </ul> <p>AND</p> <ul style="list-style-type: none"> <li>• ADL score of 7 or more</li> </ul>	<p>17-18 15-16 4-14</p>	<p>Not Used Not Used Not Used</p>	<p>SSC SSB SSA</p>
<p>CLINICALLY COMPLEX  Special Care qualifier (see above) and ADL score of 6 or less  OR  Clinically complex qualifier (any one):</p> <ul style="list-style-type: none"> <li>• burns</li> <li>• coma</li> <li>• septicemia</li> <li>• pneumonia</li> <li>• receiving treatment for foot lesion/infection</li> <li>• internal bleeding</li> <li>• dehydration</li> <li>• tube feeding (calories &gt;=51%, or calories =26%-50% and fluid &gt;=501 cc)</li> <li>• oxygen</li> <li>• transfusions</li> <li>• hemiplegia with ADL score &gt;=10</li> <li>• chemotherapy</li> <li>• dialysis</li> <li>• physician visits 1 or more days and order changes 4 or more days (last 14 days)</li> <li>• physician visits 2 or more days and order changes 2 or more days (last 14 days)</li> </ul>	<p>17-18 17-18 12-16 12-16 4-11 4-11</p>	<p>Signs of Depression No Signs of Depression Signs of Depression No Signs of Depression Signs of Depression No Signs of Depression</p>	<p>CC2 CC1 CB2 CB1 CA2 CA1</p>

<ul style="list-style-type: none"> <li>diabetes with injection 7 days/week and order change 2 or more days(last 14 days)</li> </ul>			
<p>IMPAIRED COGNITION</p> <p>Score on MDS2.0 Cognitive Performance Scale (CPS) &gt;=3</p> <p>AND</p> <p>ADL score of 10 or less</p> <p>NOTES:</p> <p>No clinical variables used</p> <p>CPS Score of "6" will be assigned Clinically Complex or PE2-PD1)</p> <p>See Reduced Physical Function (below) for nursing rehab services count</p>	<p>6-10</p> <p>6-10</p> <p>4- 5</p> <p>4- 5</p>	<p>2 or more nursing rehab services on 6+ days/wk</p> <p>Less nursing rehab</p> <p>2 or more nursing rehab services on 6+ days/wk</p> <p>Less nursing rehab</p>	<p>IB2</p> <p>IB1</p> <p>IA2</p> <p>IA1</p>
<p>BEHAVIOR PROBLEMS</p> <p>Wandering, physical abuse, verbal abuse, inappropriate behavior or resisted care on 4+ days/week</p> <p>OR</p> <p>hallucinations or delusions</p> <p>AND</p> <p>ADL score of 10 or less</p> <p>NOTES:</p> <p>See Reduced Physical Function (below) for nursing rehab services count</p>	<p>6-10</p> <p>6-10</p> <p>4- 5</p> <p>4- 5</p>	<p>2 or more nursing rehab services on 6+ days/wk</p> <p>Less nursing rehab</p> <p>2 or more nursing rehab services on 6+ days/wk</p> <p>Less nursing rehab</p>	<p>BB2</p> <p>BB1</p> <p>BA2</p> <p>BA1</p>
<p>REDUCED PHYSICAL FUNCTION</p> <p>Nursing rehab service count:</p> <ul style="list-style-type: none"> <li>passive and/or active ROM</li> <li>amputation/prosthesis care training</li> <li>splint or brace assistance</li> <li>dressing or grooming training</li> <li>eating or swallowing training</li> <li>transfer training</li> <li>bed mobility and/or walking training</li> <li>communication training</li> <li>scheduled toileting plan and/or bladder retraining program.</li> </ul> <p>NOTES:</p> <p>No clinical variables used</p>	<p>16-18</p> <p>16-18</p> <p>11-15</p> <p>11-15</p> <p>9-10</p> <p>9-10</p> <p>6- 8</p> <p>6- 8</p> <p>4- 5</p> <p>4- 5</p>	<p>2 or more nursing rehab services on 6+ days/wk</p> <p>Less nursing rehab</p> <p>2 or more nursing rehab services on 6+ days/wk</p> <p>Less nursing rehab</p> <p>2 or more nursing rehab services on 6+ days/wk</p> <p>Less nursing rehab</p> <p>2 or more nursing rehab services on 6+ days/wk</p> <p>Less nursing rehab</p>	<p>PE2</p> <p>PE1</p> <p>PD2</p> <p>PD1</p> <p>PC2</p> <p>PC1</p> <p>PB2</p> <p>PB1</p> <p>PA2</p> <p>PA1</p>
Default			AAA